



Keeping our mob healthy

Splint care

The splint will help protect the hand while it heals, wear your splint:



All day and night (24 hours)

Most of the time - only take splint off for skin care (see below)

Most of the time - take off splint as physio / doctor said


Most of the time - take off splint for light activities

Only at nights


Please **call your physio immediately** if your splint is too tight, rubbing or pain, or if you feel any tingling or numbness.

NEVER change your splint on your own - ask the physio for help

- To protect the skin in the split you might need to wear a stockinette under the splint.
- Someone will need to help remove the splint if you're allowed to take it off.
- To wash the splint use cool tap water with soap. Dry hand and splint well before putting it back on.
- If the splint smells, use toothpaste or baby wipes when washing, please keep the velcro straps dry.



Looking after your splint









Splints can melt and lose shape, please keep it away from heat -hot cars, hot water and heaters

Wrap a tea towel or shirt around the splint and then a plastic bag when getting wet

Keep the splint away from pets, they may chew it

Please call the **Physiotherapy Department** if you have any questions concerns or worries,

Weekday hours of 8am and 4:30pm on (08) 6456 0412

Weekends, contact the physio on duty on (08) 6456 2222

Your physio is	
YOUR DOWNIN	•
TOULDITYSIC I	



This document can be made available in alternative formats on request for a person with a disability.

Child and Adolescent Health Service

15 Hospital Avenue, Nedlands, WA, 6009.

Telephone: (08) 6456 2222

Produced by: Physiotherapy Department / Social Work

Ref: 546.1 © CAHS 2021

Disclaimer: This publication is for general education and information purposes. Contact a qualified healthcare professional for any medical advice needed.

© State of Western Australia, Child and Adolescent Health Service.