



| CLINICAL GUIDELINE | |
|-----------------------|------------------------------|
| Bronchiolitis | |
| Scope (Staff): | Nursing and Medical Staff |
| Scope (Area): | NICU KEMH, NICU PCH, NETS WA |

This document should be read in conjunction with this [DISCLAIMER](#)

Definition: viral infection of the lower respiratory tract manifesting as respiratory distress (and apnoea, especially in the young infant).


Management

- Provide oxygen as needed (Cot O₂ preferred to nasal prongs).
- CPAP if required. May be helpful in managing apnoea.
- Loading dose of IV Caffeine (20 mg/kg) if required.
- **Hypertonic Saline** (3%) has been shown to reduce airway oedema / increase mucous clearance and decrease secretion viscosity. Consider administering 2mLs 3% NaCl via nebuliser at referring hospital. Repeat as required.
- **Nebulised Adrenaline** has shown positive effects on short term measures including improved clinical score and reducing admission rates in the first 24 hours of care. Dose:
 - Using 1:1000 ampoule: 0.5 mL/kg/dose. Dilute to 2-4 mL with saline.
 - Using Respirator Solution: 0.05 mL/kg/dose.

Both Hypertonic Saline and Nebulised Adrenaline can only be administered at point of referral.

- Intubation and ventilation **after discussion with the on-call consultant**. Babies often deteriorate after intubation, and copious secretions may make ventilation difficult.
 - Sedation will be required.
 - Babies are prone to gas trapping.
 - Aim for lower rate, longer Ti (0.5-1.0) and Te, to allow better oxygenation and CO₂ removal but keep Ti < Te.
 - PEEP should generally be lower to avoid gas trapping, but higher PEEP may be needed in cases of atelectasis.
 - Regular ETT suction to prevent ETT occlusion.
- Nil by mouth, IV fluids at 2/3 maintenance.
- Start on antibiotics (Amoxicillin / Gentamicin).
- CXR (if available).

This document can be made available in alternative formats on request for a person with a disability.

| | | | |
|---|--|-------------------|---------------------------------|
| File Path: | | | |
| Document Owner: | Neonatology | | |
| Reviewer / Team: | Neonatal Coordinating Group | | |
| Date First Issued: | August 2009 | Last Reviewed: | 1 st July 2017 |
| Amendment Dates: | | Next Review Date: | 1 st July 2020 |
| Approved by: | Neonatal Coordinating Group | Date: | 26 th September 2017 |
| Endorsed by: | Neonatal Coordinating Group | Date: | |
| Standards Applicable: | NSQHS Standards:  | | |
| Printed or personally saved electronic copies of this document are considered uncontrolled | | | |